

Scenario: WHINT Proxy FileTransfer

Creation Date: 2020-04-24 12:29:33

WHINT(R) Interface Documentation (SAP PI/PO)

(c) Whitepaper InterfaceDesign / whitepaper.id GmbH

This scenario contains managed file transfer interfaces to/from SAP system SOLMA
N_WSM

Documentation: SAP system WSM is managed by Michael Smith, IT-K, michael.smith@company.org

1. BOX_SLC
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
2. FTP
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
3. SFTP_Whitepaper
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
FILE_1
4. SFTP_Whitepaper
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
FILE_2
5. SOLMAN_WSM
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
FILE_A
6. SOLMAN_WSM
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
7. SOLMAN_WSM
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)
FILE_B
8. WSM
ManagedFileTransfer_Out (<http://whint.de/xi/PFT>)

Scenario: WHINT Proxy FileTransfer

1. BOX_SLC ManagedFileTransfer_Out

BOX_SLC_To_SAP_WSM 'BOX_SLC_To_SAP_WSM'

Last Change: lchen (2016-10-31)

/> SENDER [1]

- Party:
- Service: BOX_SLC
- Channel: BOX_SLC_To_SAP_WSM_WDA_BOX_SND
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT

/> RECEIVER [1.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [1.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || C:\Temp\WSM_NFS\PFT
File || ASMA
Job || IGNORE
Program || IGNORE
Unzip || false
Variant || IGNORE
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

2. FTP ManagedFileTransfer_Out

PFT_To_SAP 'PFT_To_SAP'

Documentation: Contact (Interface Responsible): John Smart, BD-S1, john.smart@company.corg

Last Change: lchen (2016-10-31)

/> SENDER [2]

- Party:
- Service: FTP
- Channel: FILE_PFT_SND
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT

/> RECEIVER [2.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [2.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || C:\Temp\WSM_NFS\PFT
File || ASMA
Job || IGNORE
Program || IGNORE
Unzip || false
Variant || IGNORE
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

3. SFTP_Whitepaper ManagedFileTransfer_Out

file-specific sender channel is assigned to file-specific ICO

Last Change: akiwon (2017-02-10)

/> SENDER [3]

- Party:
- Service: SFTP_Whitepaper
- Channel: SFTP_SND_RDC1
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT
- Virt.Receiver: FILE_1

/> RECEIVER [3.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [3.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || rtg
File || rtg
Job || rt
Program || rtg
Unzip || rtg
Variant || rg
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

4. SFTP_Whitepaper ManagedFileTransfer_Out

file-specific sender channel is assigned to file-specific ICO

Last Change: akiwon (2017-02-10)

/> SENDER [4]

- Party:
- Service: SFTP_Whitepaper
- Channel: SFTP_SND_RDC2
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT
- Virt.Receiver: FILE_2

/> RECEIVER [4.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [4.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || rtg
File || rtg
Job || rt
Program || rtg
Unzip || rtg
Variant || rg
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

5. SOLMAN_WSM ManagedFileTransfer_Out

file-specific sender channel is assigned to file-specific ICO

Documentation: Contact (Interface Responsible): Mary Right, BD-F2, mary.right@company.org

Last Change: akiwon (2017-02-10)

/> SENDER [5]

- Party:
- Service: SOLMAN_WSM
- Channel: SOAP_SND_FILEA
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT
- Virt.Receiver: FILE_A

/> RECEIVER [5.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [5.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || rtg
File || rtg
Job || rt
Program || rtg
Unzip || rtg
Variant || rg
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

6. SOLMAN_WSM ManagedFileTransfer_Out

SAP_WSM_To_BOX_SLC 'SAP_WSM_To_BOX_SLC'

Last Change: lchen (2016-10-31)

/> SENDER [6]

- Party:
- Service: SOLMAN_WSM
- Channel: SOAP_SND
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT

/> RECEIVER [6.1]

- Party:
- Service: BOX_SLC
- Routing: n.a.

/> INTERFACE [6.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SAP_WSM_To_BOX_SLC_WDA_RCV_BOXCOM
- Mapping: FileMessageFromProxy
http://whint.de/xi/PFT
Last Change: akiwon (2017-01-09)
Request: 1 (MMAP) FileMessageFromProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-12-21)
2 (MMAP) AttachmentSaveAsPayload
http://whint.de/xi/PFT
Last Change: akiwon (2017-01-09)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

7. SOLMAN_WSM ManagedFileTransfer_Out

file-specific sender channel is assigned to file-specific ICO

Last Change: akiwon (2017-02-10)

/> SENDER [7]

- Party:
- Service: SOLMAN_WSM
- Channel: SOAP_SND_FILEB
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT
- Virt.Receiver: FILE_B

/> RECEIVER [7.1]

- Party:
- Service: SOLMAN_WSM
- Routing: n.a.

/> INTERFACE [7.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SOAP_RCV_XI
- Mapping: FileMessageToProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
Parameter: Directory || rtg
File || rtg
Job || rt
Program || rtg
Unzip || rtg
Variant || rg
Request: 1 (MMAP) PayloadSaveAttachment
http://whint.de/xi/PFT
Last Change: akiwon (2016-09-19)
2 (MMAP) FileMessageToProxy
http://whint.de/xi/PFT
Last Change: lchen (2016-10-04)
- Routing: n.a.

Scenario: WHINT Proxy FileTransfer

8. WSM ManagedFileTransfer_Out

SAP_To_PFT 'SAP_To_PFT'

Last Change: akiwon (2016-12-21)

/> SENDER [8]

- Party:
- Service: WSM
- Channel: SAP
- Interface: ManagedFileTransfer_Out
http://whint.de/xi/PFT

/> RECEIVER [8.1]

- Party:
- Service: FTP
- Routing: n.a.

/> INTERFACE [8.1.1]

- Interface: ManagedFileTransfer_In
http://whint.de/xi/PFT
- Channel: SAP_To_PFT_FILE_RCV
- Mapping: FileMessageFromProxy
http://whint.de/xi/PFT
Last Change: akiwon (2017-01-09)
Request: 1 (MMAP) FileMessageFromProxy
http://whint.de/xi/PFT
Last Change: akiwon (2016-12-21)
2 (MMAP) AttachmentSaveAsPayload
http://whint.de/xi/PFT
Last Change: akiwon (2017-01-09)
- Routing: n.a.

Communication Channels

```
/> CHANNEL      SAP
- Party:
- Service:      WSM
- Adapter
  - Type:              SOAP
  - Message Protocol:  XI
  - Transport Protocol: SOAP
  - Adapter Engine:    Central
- Administration
  - Last Change: lchen (2017-07-25)
- Attribute
  - enableDynConfigSender: 0
  - dcTransport: 0
  - isMessageSecurity: 0
  - SecurityProfileXI: securityProfileWSSE
  - XMBWS.SplitBulks: 1
  - httpDestinationXI: WSM_HTTP
- Module Configuration
  - CallSapAdapter
    - ignoreDuplicate: true
    - generateSysAck: true
```

Communication Channels

```
/> CHANNEL      FILE_PFT_SND
- Party:
- Service:      FTP
- Adapter
  - Type:              File
  - Message Protocol:  File
  - Transport Protocol: FTP
  - Adapter Engine:    Central
- Administration
  - Last Change: lchen (2018-02-19)
- Attribute
  - ftp.sourceDir: /sapwpo/PFT/out
  - file.sourceFileName: *
  - advancedSourceFileSelection: 0
  - ftp.host: ftp.strato.com
  - ftp.port: 21
  - ftp.dataConnectionMode: passive
  - ftp.security: none
  - ftp.useftpproxy: 0
  - ftp.ftpproxytype: user_at_host
  - ftp.security.commandorder: 124
  - ftp.security.useClientCert: 0
  - ftp.anonymous: 0
  - ftp.user: sapwpo@whitepaper-interface-design.com
  - ftp.connection: perFileTransfer
  - ftp.transferMode: bin
  - file.qualityOfService: EO
  - file.queueName: FILESTREAM
  - file.pollInterval: 60
  - ftp.processingMode: test
  - file.archiveWithTimestamp: 0
  - ftp.archiveOnFtpServer: 0
  - emptyFileHandling: confirm
  - useErrorArchiveDir: 0
  - errorArchiveWithTimestamp: 1
  - file.type: bin
  - file.preprocess.executeTerminateAfterTimeout: 0
  - file.executeTerminateAfterTimeout: 0
  - ftp.EnableDuplicateHandling: 0
  - ftp.DuplicateMsgThreshold: 0
  - ftp.DisableChannelOnDuplicate: 0
  - enableDynConfigSender: 1
  - dynConfigFileName: 1
  - dynConfigDirectory: 1
  - dynConfigFileType: 1
  - dynConfigFileEncoding: 0
  - dynConfigSourceFileSize: 0
  - dynConfigSourceFileTimestamp: 0
  - dynConfigSourceFTPHost: 0
```

- file.adapterStatus: active
- file.advanced: 0
- enableChunkMode: 1
- chunkSize: 2
- file.checkFileModification: 10
- Module Configuration
 - CallSapAdapter

Communication Channels

```
/> CHANNEL    BOX_SLC_To_SAP_WSM_WDA_BOX_SND
BOX_SLC_To_SAP_WSM 'BOX_SLC_To_SAP_WSM'
- Party:
- Service:    BOX_SLC
- Adapter
  - Type:          WebDAV
  - Message Protocol: Datei
  - Transport Protocol: WebDAV
  - Adapter Engine: Central
- Administration
  - Last Change: lchen (2016-11-01)
- Attribute
  - wda.url: https://dav.box.com/dav
  - proxy: noProxy
  - authMethod: authPassword
  - wda.usr: clb328@hotmail.com
  - wda.in.file: .*
  - wda.in.dir: /OUT/
  - deleteFile: 1
  - duplicateCheck: 0
  - emptyFileHandling: empty.process
  - processSeq: processSeq.date.asc
  - deliverySemantics: eo
  - asma.in: 1
  - asma.in.namespace: http://whint.de/xi/WDA
  - asma.in.file: 1
  - asma.in.dir: 0
  - asma.in.size: 0
  - asma.in.time: 1
  - asma.in.host: 0
  - msg.archive.sftp: 0
  - wda.in.addTStoArchivFName: 1
  - interv.poll: 60
  - adapterStatus: inactive
- Module Configuration
  - localejbs/CallSapAdapter
```

Communication Channels

```
/> CHANNEL      SOAP_SND_FILEA
- Party:
- Service:      SOLMAN_WSM
- Adapter
  - Type:              SOAP
  - Message Protocol:  XI
  - Transport Protocol: SOAP
  - Adapter Engine:    Central
- Administration
  - Last Change:      akiwon (2017-02-10)
- Attribute
  - enableDynConfigSender: 0
  - dcTransport: 0
  - isMessageSecurity: 0
  - SecurityProfileXI: securityProfileWSSE
  - XMBWS.SplitBulks: 1
- Module Configuration
  - CallSapAdapter
    - ignoreDuplicate: true
    - generateSysAck: true
```

Communication Channels

```
/> CHANNEL      SFTP_SND_RDC1
Check Remote SFTP Folder / File with WHINT RDC adapter module
- Party:
- Service:      SFTP_Whitepaper
- Adapter
  - Type:              SFTP
  - Message Protocol:  Datei
  - Transport Protocol: SSHFtp
  - Adapter Engine:    Central
- Administration
  - Last Change: akarahan (2015-12-09)
- Attribute
  - serverhost: ssh.strato.de
  - serverport: 22
  - timeout: 30000
  - fingerprint: 2a:7d:3a:04:bd:df:02:7f:05:4b:ea:8b:32:00:47:91
  - proxy: noProxy
  - authMethod: authPassword
  - userName: sapwpo@whitepaper-interface-design.com
  - privateKeyView: SFTP
  - privateKeyEntry: sftp_ak_ssh
  - regFileName: .*
  - fileDirectory: /sapwpo/RDC/out
  - advancedSourceFileSelection: 0
  - ignoreCDErrors: 0
  - attach.files: 0
  - deleteFile: 1
  - emptyFileHandling: empty.process
  - duplicateCheck: 0
  - modifyCheck: 100
  - maxFileRestr: 0
  - maxFileRestr.length: 25165824
  - maxFileRestr.error: 1
  - processSeq: processSeq.date.asc
  - msg.archive.faulty: 0
  - breakFaulty: 1
  - deliverySemantics: eo
  - file.preprocess.executeTerminateAfterTimeout: 0
  - file.executeTerminateAfterTimeout: 0
  - asma.in: 1
  - asma.in.namespace: http://sap.com/xi/XI/System/File
  - asma.in.file: 1
  - asma.in.dir: 1
  - asma.in.size: 1
  - asma.in.time: 1
  - asma.in.host: 1
  - msg.archive.sftp: 0
  - specialHandlingMode: none
  - specialHandlingModeEOIO: none
```

- storagelocation: /
- chunkSize: 10
- msg.archive: 0
- msg.archive.path: C:/sftpArchiv/%TIME_%SEQNUM
- interv.poll: 180
- interv.schedule: 0
- interv.mon: 1
- interv.tue: 1
- interv.wed: 1
- interv.thu: 1
- interv.fri: 1
- interv.sat: 0
- interv.sun: 0
- adapterStatus: active
- sftp.advanced: 0
- Module Configuration
 - WHINT/RemoteDirectoryChecker
 - User: sapwpo@whitepaper-interface-design.com
 - Directory: /sapwpo/RDC/CheckFolder
 - FileName: abc.xml
 - URL: sftp://ssh.strato.de:22
 - pwd:

Communication Channels

```
/> CHANNEL      SFTP_SND_RDC2
Check Remote FTP Folder / File with WHINT RDC adapter module
- Party:
- Service:      SFTP_Whitepaper
- Adapter
  - Type:              SFTP
  - Message Protocol:  Datei
  - Transport Protocol: SSHFtp
  - Adapter Engine:    Central
- Administration
  - Last Change: akarahan (2015-12-10)
- Attribute
  - serverhost: ssh.strato.de
  - serverport: 22
  - timeout: 30000
  - fingerprint: 2a:7d:3a:04:bd:df:02:7f:05:4b:ea:8b:32:00:47:91
  - proxy: noProxy
  - authMethod: authPassword
  - userName: sapwpo@whitepaper-interface-design.com
  - privateKeyView: SFTP
  - privateKeyEntry: sftp_ak_ssh
  - regFileName: .*
  - fileDirectory: /sapwpo/RDC/out
  - advancedSourceFileSelection: 0
  - ignoreCDErrors: 0
  - attach.files: 0
  - deleteFile: 1
  - emptyFileHandling: empty.process
  - duplicateCheck: 0
  - modifyCheck: 100
  - maxFileRestr: 0
  - maxFileRestr.length: 25165824
  - maxFileRestr.error: 1
  - processSeq: processSeq.date.asc
  - msg.archive.faulty: 0
  - breakFaulty: 1
  - deliverySemantics: eo
  - file.preprocess.executeTerminateAfterTimeout: 0
  - file.executeTerminateAfterTimeout: 0
  - asma.in: 1
  - asma.in.namespace: http://sap.com/xi/XI/System/File
  - asma.in.file: 1
  - asma.in.dir: 1
  - asma.in.size: 1
  - asma.in.time: 1
  - asma.in.host: 1
  - msg.archive.sftp: 0
  - specialHandlingMode: none
  - specialHandlingModeEOIO: none
```

- storagelocation: /
- chunkSize: 10
- msg.archive: 0
- msg.archive.path: C:/sftpArchiv/%TIME_%SEQNUM
- interv.poll: 600
- interv.schedule: 0
- interv.mon: 1
- interv.tue: 1
- interv.wed: 1
- interv.thu: 1
- interv.fri: 1
- interv.sat: 0
- interv.sun: 0
- adapterStatus: active
- sftp.advanced: 0
- Module Configuration
 - WHINT/RemoteDirectoryChecker
 - Directory: /sapwpo/RDC/CheckFolder
 - User: sapwpo@whitepaper-interface-design.com
 - pwd:
 - URL: ftp://ftp.strato.com:21
 - FileName: abc.xml

Communication Channels

```
/> CHANNEL      SOAP_SND
- Party:
- Service:      SOLMAN_WSM
- Adapter
  - Type:              SOAP
  - Message Protocol:  XI
  - Transport Protocol: SOAP
  - Adapter Engine:    Central
- Administration
  - Last Change:      akiwon (2016-01-06)
- Attribute
  - enableDynConfigSender: 1
  - dcTransport:      0
  - isMessageSecurity: 0
  - SecurityProfileXI: securityProfileWSSE
  - XMBWS.SplitBulks: 1
- Module Configuration
  - CallSapAdapter
    - ignoreDuplicate: true
    - generateSysAck: true
```

Communication Channels

```
/> CHANNEL      SOAP_SND_FILEB
- Party:
- Service:      SOLMAN_WSM
- Adapter
  - Type:              SOAP
  - Message Protocol:  XI
  - Transport Protocol: SOAP
  - Adapter Engine:    Central
- Administration
  - Last Change:      akiwon (2017-02-10)
- Attribute
  - enableDynConfigSender: 0
  - dcTransport: 0
  - isMessageSecurity: 0
  - SecurityProfileXI: securityProfileWSSE
  - XMBWS.SplitBulks: 1
- Module Configuration
  - CallSapAdapter
    - ignoreDuplicate: true
    - generateSysAck: true
```

Communication Channels

```
/> CHANNEL      SAP_To_PFT_FILE_RCV
SAP_To_PFT 'SAP_To_PFT'
- Party:
- Service:      FTP
- Adapter
  - Type:                SFTP
  - Message Protocol:   Datei
  - Transport Protocol: SSHFtp
  - Adapter Engine:     Central
- Administration
  - Last Change: akiwon (2016-12-21)
- Attribute
  - serverhost: ssh.strato.de
  - serverport: 22
  - timeout: 30000
  - fingerprint: 2a:7d:3a:04:bd:df:02:7f:05:4b:ea:8b:32:00:47:91
  - proxy: noProxy
  - authMethod: authPassword
  - userName: sapwpo@whitepaper-interface-design.com
  - fileName: TEST
  - filePath: /sapwpo/PFT/in
  - createDirectory: 1
  - overwriteFile: 1
  - timeStamp: 0
  - messageID: 0
  - writeModus: writeModus.direct
  - writeModus.overwrite: writeModus.overwrite.direct
  - maxParallel: 30
  - maxParallel_Timeout: 30
  - maxParallel_TimeUnit: maxParallel_TimeUnit.sec
  - out.emptyFileHandling: out.emptyFileHandling.empty
  - setPermission: 0
  - setPermission.permissions: 555
  - out.storeAttachments: 0
  - file.preprocess.executeTerminateAfterTimeout: 0
  - file.executeTerminateAfterTimeout: 0
  - variableSubstitution.enabled: 0
  - variableSubstitution.securityCheck: 1
  - dynamicValues: 1
  - dynamicNamespace: http://sap.com/xi/XI/System/File
  - dynamicDir: 0
  - dynamicFDir: Directory
  - dynamicFilename: 1
  - dynamicFName: FileName
  - msg.archive: 0
  - msg.archive.path: C:/sftpArchiv/%TIME_%SEQNUM
  - adapterStatus: active
  - sftp.advanced: 0
- Module Configuration
```

- localejbs/ModuleProcessorExitBean
- JNDIName: deployedAdapters/com.sap.aii.adapter.sftp.ra/shareable/co
m.sap.aii.adapter.sftp.ra

Communication Channels

```
/> CHANNEL      SOAP_RCV_XI
- Party:
- Service:      SOLMAN_WSM
- Adapter
  - Type:              SOAP
  - Message Protocol:  XI
  - Transport Protocol: HTTP
  - Adapter Engine:    Central
- Administration
  - Last Change:      akiwon (2015-11-02)
- Attribute
  - enableDynConfigReceiver: 0
  - dcTransport: 0
  - useAuthKeys: 0
  - isMessageSecurity: 0
  - SecurityProfileXI: securityProfileWSSE
  - addressingMode: destination
  - httpDestination: WSM_HTTP
  - authenticationModeBasicAnon: basicSAP
  - useCert: 0
  - keystoreView: DEFAULT
  - usePackaging: 0
  - useProxy: 0
  - useProxyAuth: 0
  - passHopList: 1
- Module Configuration
  - WHINT/DynamicQueueWriter
    - in.var1: xpath(//OrderID)
    - out.dq.name: ORD_${var1}
    - in.remove.specialchar: false
    - in.search.attachment: false
```

Communication Channels

```
/> CHANNEL      SAP_WSM_To_BOX_SLC_WDA_RCV_BOXCOM
SAP_WSM_To_BOX_SLC 'SAP_WSM_To_BOX_SLC'
- Party:
- Service:      BOX_SLC
- Adapter
  - Type:              WebDAV
  - Message Protocol:  Datei
  - Transport Protocol: WebDAV
  - Adapter Engine:   Central
- Administration
  - Last Change: lchen (2016-10-31)
- Attribute
  - wda.url: https://dav.box.com/dav
  - proxy: noProxy
  - authMethod: authPassword
  - wda.usr: clb328@hotmail.com
  - wda.out.file: TEST
  - wda.out.dir: /IN
  - wda.out.createDir: 1
  - wda.out.overwriteFile: 1
  - wda.out.addTimestamp: 1
  - wda.out.addmessageId: 0
  - wda.out.storeAttachments: 1
  - dynamicValues: 0
  - dynamicNamespace: http://sap.com/xi/XI/System/File
  - dynamicDir: 0
  - dynamicFDir: Directory
  - dynamicFilename: 1
  - dynamicFName: FileName
  - adapterStatus: active
- Module Configuration
  - localejbs/ModuleProcessorExitBean
    - JNDIName: deployedAdapters/de.whint.WDA.adapter.ra/shareable/de.whi
      nt.WDA.adapter.ra
```